

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3



Revision: 08.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name** **BRAWO SRR - Komponente B**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the mixture** Epoxy curing agent
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** BRAWO SYSTEMS GmbH
Blechhammerweg 13-17
67659 Kaiserslautern
Deutschland/Germany
- Tel: +49(0)631-205 61 100
- **Informing department:** Technische Abteilung
msds@brawoliner.de
- **1.4 Emergency telephone number:** +49 (0) 61 31 - 19 240 (Giftnotruf Mainz)

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
 Acute Tox. 4 H302 Harmful if swallowed.
 Skin Corr. 1B H314 Causes severe skin burns and eye damage.
 Eye Dam. 1 H318 Causes serious eye damage.
 Skin Sens. 1 H317 May cause an allergic skin reaction.
 Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**

GHS05 GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:** 1,3-Cyclohexanedimethanamine
polymer amine terminated
Benzyl alcohol
2,4,6-Tris-(1-Phenyl-Ethyl) carboic acid
- **Hazard statements** H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 2)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name BRAWO SRR - Komponente B

(Contd. of page 1)

- **Precautionary statements**
 - P260 Do not breathe dusts or mists.
 - P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 - P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P310 Immediately call a POISON CENTER/doctor.
 - P321 Specific treatment (see on this label).
 - P362+P364 Take off contaminated clothing and wash it before reuse.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

| | | |
|--------------------------------------|--|----------|
| CAS: 2579-20-6 EINECS: 219-941-5 | 1,3-Cyclohexanedimethanamine Skin Corr. 1B, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317 | 50-70% |
| CAS: 61788-44-1 EINECS: 262-975-0 | 2,4,6-Tris-(1-Phenyl-Ethyl) carboic acid Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317 | ≥10-<25% |
| | polymer amine terminated Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1B, H317 | ≥10-<25% |
| CAS: 100-51-6 EINECS: 202-859-9 | Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 | <10% |
| CAS: 69-72-7 EINECS: 200-712-3 | salicylic acid Repr. 2, H361d; Eye Dam. 1, H318; Acute Tox. 4, H302 | ≥1-<3% |

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Instantly remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation** Supply fresh air and call for doctor for safety reasons. In case of unconsciousness bring patient into stable side position for transport.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Seek medical treatment. Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing** Rinse out mouth and then drink plenty of water.

(Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name **BRAWO SRR - Komponente B**

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** *Instantly call for doctor.
Drink copious amounts of water and provide fresh air. Instantly call for doctor.*
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** *CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.*
- **5.2 Special hazards arising from the substance or mixture** *No further relevant information available.*
- **5.3 Advice for firefighters**
- **Protective equipment:** *No special measures required.*

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** *Wear protective equipment. Keep unprotected persons away.*
- **6.2 Environmental precautions:** *Inform respective authorities in case product reaches water or sewage system.
Dilute with much water.*
- **6.3 Methods and material for containment and cleaning up:** *Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralising agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.*
- **6.4 Reference to other sections** *See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.*

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** *Open and handle container with care.
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.*
- **Information about protection against explosions and fires:** *No special measures required.*

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name BRAWO SRR - Komponente B

(Contd. of page 3)

- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical systems:** No further data; see item 7.
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

2579-20-6 1,3-Cyclohexanedimethanamine

| | | |
|------------|------|-------------------------------------|
| Inhalative | DNEL | 0.00947 mg/m ³ (Workers) |
|------------|------|-------------------------------------|

100-51-6 Benzyl alcohol

| | | |
|------------|------|-----------------------------|
| Oral | DNEL | 4 mg/kg bw/Tag (ArL) |
| | | 20 mg/kg bw/Tag (Ark) |
| Dermal | DNEL | 8 mg/kg bw/day (ArL) |
| | | 40 mg/kg bw/day (Ark) |
| Inhalative | DNEL | 22 mg/m ³ (ArL) |
| | | 110 mg/m ³ (Ark) |

· **PNECs**

2579-20-6 1,3-Cyclohexanedimethanamine

| | |
|------|--------------------------|
| PNEC | 0.003 mg/l (Mew) |
| PNEC | 0.033 mg/l (Fresh water) |

100-51-6 Benzyl alcohol

| | |
|------|---------------------------------------|
| PNEC | 0.527 mg/l (Marine water sediment) |
| | 0.1 mg/l (Mew) |
| | 1 mg/l (Fresh water sediment) |
| PNEC | 0.456 mg/kg dwt (Bod) |
| | 5.27 mg/kg dwt (Fresh water sediment) |

- **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

- **Personal protective equipment**
- **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.

(Contd. on page 5)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name BRAWO SRR - Komponente B

(Contd. of page 4)

- **Breathing equipment:** Not required.
- **Protection of hands:** Protective gloves.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
After use of gloves apply skin-cleaning agents and skin cosmetics.
- **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material** The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
Tightly sealed safety glasses.
- **Body protection:** Impervious protective clothing
Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

- **Form:** Fluid
- **Colour:** Yellowish
- **Smell:** Amine-like
- **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 12

· Change in condition

- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** 220 °C

· **Flash point:** ≥61 °C

· **Inflammability (solid, gaseous)** Not applicable.

· **Decomposition temperature:** Not determined.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· Critical values for explosion:

- **Lower:** Not determined.
- **Upper:** Not determined.

· **Steam pressure at 20 °C:** 0 hPa

- **Density at 20 °C** 1.021 g/cm³
- **Relative density** Not determined.
- **Vapour density** Not determined.
- **Evaporation rate** Not determined.

(Contd. on page 6)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name **BRAWO SRR - Komponente B**

(Contd. of page 5)

- | | |
|--|--|
| · Solubility in / Miscibility with Water: | Partly miscible |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| dynamic at 20 °C: | 290 mPas |
| kinematic: | Not determined. |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability** stable
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Harmful if swallowed.

· **LD/LC50 values that are relevant for classification:**

2579-20-6 1,3-Cyclohexanedimethanamine

| | | |
|--------|------|-------------------|
| Oral | LD50 | 700 mg/kg (rat) |
| Dermal | LD50 | 1,700 mg/kg (rat) |

100-51-6 Benzyl alcohol

| | | |
|------------|----------------------|--------------------------------------|
| Oral | LD50 | 1,230 mg/kg (rat) |
| | NOAEL 2nd year study | 200 mg/kg (mouse) 200 mg/kg (rat) |
| Dermal | LD50 | 2,000 mg/kg (rabbit) |
| Inhalative | LC50/4 h | >4,178 mg/l (rat) |

69-72-7 salicylic acid

| | | |
|--------|------|--------------------|
| Oral | LD50 | 891 mg/kg (rat) |
| Dermal | LD50 | >2,000 mg/kg (rat) |

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Additional toxicological information:**
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name **BRAWO SRR - Komponente B**

(Contd. of page 6)

- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

2579-20-6 1,3-Cyclohexanedimethanamine

EC50/24h 90 mg/l (*Pseudokirchneriella subcapitata*)

EC50 90 mg/l (*Pseudomonas putida*)

LC50/48h 130 mg/l (*Leucidus idus*)

100-51-6 Benzyl alcohol

IC50/72h 700 mg/l (algae)

LC50/96h 460 mg/l (*Pimephales promelas*)

10 mg/l (*Lepomis macrochirus*)

· 12.2 Persistence and degradability

No further relevant information available.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· Ecotoxicological effects:

· Remark:

Harmful to fish

· Additional ecological information:

· General notes:

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Harmful to aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

· 12.5 Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

· 12.6 Other adverse effects

No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key number:

55352

Bez.: aliphatische Amine

Entsorgungshinweise:

(Contd. on page 8)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name BRAWO SRR - Komponente B

Sonderabfallverbrennung

(Contd. of page 7)

- **Uncleaned packagings:**
- **Recommendation:**
- **Recommended cleaning agent:**

Disposal must be made according to official regulations.
Water, if necessary with cleaning agent.

SECTION 14: Transport information

| | |
|--|---|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, IMDG, IATA | UN2735 |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR, IMDG, IATA | AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-Cyclohexanedimethanamine) |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR · Class · Label | 8 (C7) Corrosive substances. 8 |
| <ul style="list-style-type: none"> · IMDG, IATA · Class · Label | 8 Corrosive substances. 8 |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | II |
| <ul style="list-style-type: none"> · 14.5 Environmental hazards: · Marine pollutant: | Yes |
| <ul style="list-style-type: none"> · 14.6 Special precautions for user · Kemler Number: · EMS Number: · Segregation groups · Stowage Category · Segregation Code | Warning: Corrosive substances. 80 F-A,S-B (SGG18) Alkalis A SG35 Stow "separated from" SGG1-acids |
| <ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| <ul style="list-style-type: none"> · Transport/Additional information: · ADR · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml 2 E |
| <ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) | 1L |

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name **BRAWO SRR - Komponente B**

(Contd. of page 8)

| | |
|-----------------------------------|---|
| · Excepted quantities (EQ) | Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation": | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (1,3-CYCLOHEXANEDIMETHANAMINE), 8, II |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

- **Relevant phrases**
 - H302 Harmful if swallowed.
 - H312 Harmful in contact with skin.
 - H314 Causes severe skin burns and eye damage.
 - H315 Causes skin irritation.
 - H317 May cause an allergic skin reaction.
 - H318 Causes serious eye damage.
 - H332 Harmful if inhaled.
 - H361d Suspected of damaging the unborn child.
 - H411 Toxic to aquatic life with long lasting effects.
- **Abbreviations and acronyms:**
 - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 - ICAO: International Civil Aviation Organisation
 - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
 - IMDG: International Maritime Code for Dangerous Goods
 - IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 - EINECS: European Inventory of Existing Commercial Chemical Substances
 - ELINCS: European List of Notified Chemical Substances
 - CAS: Chemical Abstracts Service (division of the American Chemical Society)
 - DNEL: Derived No-Effect Level (UK REACH)
 - PNEC: Predicted No-Effect Concentration (UK REACH)
 - LC50: Lethal concentration, 50 percent
 - LD50: Lethal dose, 50 percent
 - PBT: Persistent, Bioaccumulative and Toxic
 - vPvB: very Persistent and very Bioaccumulative
 - Acute Tox. 4: Acute toxicity – Category 4
 - Skin Corr. 1B: Skin corrosion/irritation – Category 1B
 - Skin Irrit. 2: Skin corrosion/irritation – Category 2
 - Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 - Skin Sens. 1: Skin sensitisation – Category 1
 - Skin Sens. 1B: Skin sensitisation – Category 1B
 - Repr. 2: Reproductive toxicity – Category 2

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 08.11.2022

Version number 3

Revision: 08.11.2022

Trade name BRAWO SRR - Komponente B

(Contd. of page 9)
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

GB